

| Tsubaki Chain No.            | Pitch  | Roller Dia. | Innerlink width | Pin dia | Pinlink plate thickness | Rollerlink plate thickness | Pin lenght | Average tensile strenght | Weight  |
|------------------------------|--------|-------------|-----------------|---------|-------------------------|----------------------------|------------|--------------------------|---------|
|                              | P      | R           | W               | D       | T1                      | T2                         | L          | KN                       | kg/mtr. |
| 415 Gamma <b>QRB</b>         | 12,700 | 7,77        | 4,80            | 3,97    | 1,45                    | 1,45                       | 14,50      | 17.7                     | 0,52    |
| 420 Gamma <b>QRB</b>         | 12,700 | 7,77        | 6,35            | 3,97    | 1,50                    | 1,50                       | 15,80      | 18.6                     | 0,59    |
| 428 Gamma <b>QRB</b>         | 12,700 | 8,50        | 7,94            | 4,45    | 1,50                    | 1,50                       | 18,10      | 18.6                     | 0,75    |
| 520 Gamma <b>QRB</b>         | 15,875 | 10,16       | 6,35            | 5,09    | 2,00                    | 2,00                       | 20,90      | 31.4                     | 0,95    |
| 530 Gamma <b>QRB</b>         | 15,875 | 10,16       | 9,53            | 5,09    | 2,00                    | 2,00                       | 22,80      | 31.4                     | 1,04    |
| 530 Delta <b>QRN (HSLNP)</b> | 15,875 | *10,16      | 9,53            | 5,09    | 2,00                    | 2,80                       | 24,70      | 31.4                     | 1,14    |
| 420 MX Pro                   | 12,700 | 7,77        | 6,35            | 3,97    | 1,50                    | 1,50                       | 15,80      | 21.9                     | 0,59    |
| 520 MX (QR)                  | 15,875 | 10,16       | 6,35            | 5,09    | 2,00                    | 2,00                       | 20,90      | 31.9                     | 0,95    |
| 428 MX Pro                   | 12,700 | 8,51        | 7,94            | 4,45    | 1,60                    | 1,60                       | 19,40      | 18.6                     | 0,73    |
| 520 MX Pro                   | 15,875 | 10,16       | 6,35            | 5,24    | 2,00                    | 2,00                       | 19,50      | 33.3                     | 0,95    |
| 520 <b>Omega ORS</b>         | 15,875 | 10,16       | 6,35            | 5,24    | 2,00                    | 2,00                       | 20,20      | 32.4                     | 0,98    |
| 525 <b>Omega ORS</b>         | 15,875 | 10,16       | 7,94            | 5,24    | 2,20                    | 2,20                       | 22,60      | 33.3                     | 1,10    |
| 530 <b>Omega ORS</b>         | 15,875 | 10,16       | 9,53            | 5,34    | 2,20                    | 2,40                       | 24,70      | 39.2                     | 1,25    |
| 630 <b>Omega ORS</b>         | 19,050 | 11,91       | 9,53            | 5,96    | 2,40                    | 2,40                       | 26,30      | 44.6                     | 1,50    |
| 428 <b>Alpha ORS</b>         | 12,700 | 8,50        | 7,94            | 4,44    | 1,80                    | 1,80                       | 20,10      | 23.6                     | 0,83    |
| 520 <b>Alpha ORS</b>         | 15,875 | 10,22       | 6,35            | 5,23    | 2,00                    | 2,00                       | 21,25      | 35.3                     | 0,98    |
| 525 <b>Alpha ORS</b>         | 15,875 | 10,22       | 7,94            | 5,23    | 2,20                    | 2,20                       | 22,55      | 35.3                     | 1,11    |
| 530 <b>Alpha ORS</b>         | 15,875 | 10,22       | 9,53            | 5,23    | 2,40                    | 2,40                       | 24,90      | 42.2                     | 1,30    |
| 520 <b>Alpha XRG</b>         | 15,875 | 10,22       | 6,35            | 5,23    | 2,00                    | 2,00                       | 20,25      | 35.3                     | 0,98    |
| 525 <b>Alpha XRG</b>         | 15,875 | 10,22       | 7,94            | 5,23    | 2,20                    | 2,20                       | 22,55      | 35.3                     | 1,11    |
| 530 <b>Alpha XRG</b>         | 15,875 | 10,22       | 9,53            | 5,23    | 2,40                    | 2,40                       | 24,90      | 42.2                     | 1,30    |
| 520 <b>Racing Pro</b>        | 15,875 | 10,22       | 6,35            | 5,23    | 2,00                    | 2,00                       | 20,25      | 36.3                     | 1,00    |
| 520 <b>Sigma ORS</b>         | 15,875 | 10,22       | 6,35            | 5,40    | 2,40                    | 2,40                       | 21,95      | 39.2                     | 1,31    |
| 525 <b>Sigma ORS</b>         | 15,875 | 10,22       | 7,94            | 5,40    | 2,40                    | 2,40                       | 23,55      | 42.2                     | 1,36    |
| 530 <b>Sigma ORS</b>         | 15,875 | 10,22       | 9,53            | 5,40    | 2,40                    | 2,40                       | 25,10      | 45.1                     | 1,44    |
| 520 <b>Sigma XRG</b>         | 15,875 | 10,22       | 6,35            | 5,40    | 2,40                    | 2,40                       | 21,95      | 39.2                     | 1,31    |
| 525 <b>Sigma XRG</b>         | 15,875 | 10,22       | 7,94            | 5,40    | 2,40                    | 2,40                       | 23,55      | 42.2                     | 1,36    |
| 530 <b>Sigma XRG</b>         | 15,875 | 10,22       | 9,53            | 5,40    | 2,40                    | 2,40                       | 25,10      | 45.1                     | 1,44    |

\* Bushed chain